

[Document type] Drawing [Figure 1]

(1/21)



[Figure 2]

(2/21)



[Figure 3]

(3/21)

Event notification managing table

Object pool ID	Host name	Event filter
112233	Host A All	
445566	Host B Only Error	
778899	Host C	Warning


[Figure 4]

Project execution monitoring table

Project 1D	Project name	me Event filter	
112233	Project A	Start	
445566	Project B	Stopping	
778899	Project C	Under execution	

[Figure 5]

(4/21)



[Figure 6]

(5/21)

no ax	Active object managing table	g lable		
ect ID	Object ID Class name	Server name	Project name	Execution status
112233	Class A	Server 3	Project X	Under execution
445566	Class E	Server 5	Project Y	Stopping
778899	Class C	Server 1	Project Z	Under execution
-				

Free object managing table

[Figure 7]

	Execution status	Under execution	Stopping	Under execution	
	Project name	Project X	Project Y	Project Z	
	Server name	Server 3	Server 5	Server 1	
ig table	Priority Object ID Class name Server name	Class A	Class E	Class C	
riee object managing table	Object ID	112233	445566	778899	
Liee onle	Priority	-	2	ო	

(6/21)

[Figure 8]

(7/21)

Object pool property managing table

Property	Value
Maximum pool number	500
Initial pool number	100

[Figure 9]


Pool object information

Priority	Class name	Server name	Project name
1 .	Class A	Server 3	Project X
2	Class E	Server 5	Project Y
3	Class C	Server 1	Project Z
		• .	

[Figure 10]

(8/21)


Start operation of project



[Figure 11]

(9/21)


Stop operation of project



[Figure 12]

(10/21)


Abnormal termination processing operation of project



[Figure 13]

(11/21)


Operation for event receiving in object pool



[Figure 14]

(12/21)


Start operation of object pool



[Figure 15]

(13/21)


Termination operation of object pool



[Figure 16]

(14/21)


Operation for object creation request from client



[Figure 17]

(15/21)

Operation for object deletion request from client




I. Inagaki, et al JP9-1999-0175US1 16/21

[Figure 18]

(16/21)

Operation for method call processing request from client



[Figure 19]

(17/21)

ale	•	•	•	•
Active object managing table	Class name	Class X	•	•
Active objec	Object ID	112233	•.	•

(a)

			I		
	Last access time	08:08:08	07:07:07		
;		•		. •	•
	Class name	Class A	Class B		
	Priority	-	2	•	
	Object ID	223344	334455	•	

(Q)

[Figure 20]

(18/21)

(Q)


ele .	•	•	,	•	
Active object managing table	Class name	•		•	
Active objec	Object ID	•		•	

(a)

	Last access time	60:60:60	08:08:08	07:07:07	
	•	•	•	•	
1)	Class name	Class X	Class A	Class B	
i lee object managing table	Priority	-	2	က	
ו זהה משלמה ו	Object ID	112233	223344	334455	


[Figure 21]

(19/21)



[Figure 22]

(20/21)









[Figure 23]

(21/21)



[Figure 24]



Object information

Priority	Class name
1	Class A
2	Class E
3	Class C
4	Class M
•	·